www.hplindia.com

HPL Electric & Power Ltd

Corp. Office: 76-B, Phase-IV, Sector-57, HSIIDC Industrial Estate, Kundli-131028, Sonipat, Haryana INDIA. Tel.: +91-130-350 3958, 350 3437 Registered Office: 1/20, Asaf Ali Road, New Delhi-110 002, INDIA. E-mail: hpl@hplindia.com

Customer Care Officer: E-mail: customercare@hplindia.com Customer Care No.: 18004190198

For online Complaint Registration: https://www.hplindia.com/register-complaint.php







Catalogue

Corporate Profile

HPL is India's leading electric equipment manufacturer with a formidable presence across six key verticals: Metering Solutions, Switchgears, LED Lighting, Wire & Cables, Modular Switches & Solar.

Our backward integrated facilities have capabilities across product design and development, component designing, tool manufacturing and commercial production. An established brand with a proven track record of over four decades.

HPL enjoys strong recall across various customer segments. Through our innovative offerings, certified to conform to Indian and International standards such as ISI, CE and KEMA, we are proud to partner emerging India's electrical requirements.

HPL is well-placed to seize emerging opportunities

60+ Years of Industry Experience

7 State-of-art Manufacturing Facilities with 2 R&D Centers

19 Logistic centres in India & Union Territories

90+ Branch & Representative Offices

Strong Dealer & Distribution Network

Exporting to over **42** Countries

Key Strengths

Integrated Manufacturing Facilities

Located across North India in the states of Haryana and Himachal Pradesh. We have seven state-of-the-art manufacturing capabilities. These are equipped to manufacture customised products for institutional customers and undertake modifications in products for OEMs and other corporate customers as well as for the retail consumers. We manufacture all our products in-house, as well as several components used therein.

Certifications

HPL's manufacturing facilities are ISO:9001 certified for Quality Management System, ISO:14001 certified for Environmental System and OHSAS-18001 certified for implementing an occupational Health and Safety Management System. HPL products are also ISI Certified by the Bureau of Indian Standards, a mark of quality products in India.

Certain range of products have KEMA certification for energy utilization and have CE certificate to give acceptability of the products in Europe and other international markets. With these awards, accolades and certificates, HPL continues its journey towards a brighter and innovative future.

Manufacturing products and the parts

Inputs such as sheet metal components, copper components and industrial plastic moulded components are also made within the HPL facilities, reinforcing our quality edge.

Our state-of-the-art manufact are equipped with:

- Ultra Modern Testing Labs
- World Class R&D Facilities
- State-of-the-art Moulding Plants
- Latest Milling Machines

Late

HPL Overseas Presence







cturing units

HPL Fans are certified with CB, G MARK, SON & Sri Lanka Star Rating, SLS Marking. All certificate validates supply of HPL Fans for more than 56 countries.



Star Rating BLDC Fans

Ceiling fans are one of the few appliances that have withstood the test of time. They have existed since decades and are unlikely to be obsolete soon.

In a tropical country like India, you would find ceiling fans almost everywhere-be it houses, offices, or shops. Despite the invention of air conditioners, they do still serve the purpose well. In fact, fans work in tandem with ACs for an enhanced cooling effect.

But there is a dark side too. Fans are one of those unsuspecting appliances in the home which secretly consumes a large amount of energy.







Point Anywhere Remote

At 'HPL' we have a wider range of electric fans in premium, sub economy and economy segments (600/900/1050/1200/1400 mm). We also have a complete range of Non ceiling fans like

- TPW Fans-300/400 mm
- Ventilation Fans-100/150/200/250/300 mm
- Exhaust Fans LD-150/225/300 mm
- Exhaust Fans HD-225/300/375/450/600 mm
- Cabin Fan-225/300 mm
- Stand Fans HD-400/450/500 mm

Most of the fans are suitable with 50/60 hz frequency.

We also have BLDC fans with 5 Star rating for highest electricity saving and better living environment.

'HPL' fans are manufacturing under the best manufacturing infrastructure.





We are using latest technology for manufacturing of 'HPL' fans parts like

- Armature winding with CNC machines
- Fan parts(Covers, Rotors) machining with CNC
- · Fan parts painting with robotic technology
- Conveyourized Assembly and Packing
- Computerized testing of fans(electrical and mechanical parameters)

We are using best grade material to make HPL fans to archive Peak Air Velocity with minimum power inputs for high level of customer satisfaction.

'HPL' fans are delighting customers with innovative design and performance.

CONTENT Fan Range

Ceiling Fans

Super Premium Fans	
• Cyborg	03
Centaur	05
Tronic ES	07
Energy Saving Fans	
• Zeon PS-50	13
• Zivo 32 BLDC	17
Premium Fans	
Gusto ES	21
Gusto Art ES	25
Decorative Fans	
Aaron Deco ES	29
Viktor - 400 Deco ES	31
Pacio Deco ES	33
Regular Fans	
• Aaron ES	37
• VIKTOR ES - 400	39
Pacio ES	41

Pacio ES mini HS

43

Portable Fans

Table, Wall & Pedestal Fans

- Windrush (Table Fan)
- Windrome (Table Fan)
- Windrush (Pedestal Fan)
- Windrome (Pedestal Fan)
- Windrush (Wall Fans)
- Windrome (Wall Fans)

Ventilation Fans

Plastic

- VITO
- VITO CM
- KAMET PRIME
- KAMET

Metal

SINAI

Farrata Fans

DORADDO





- 63 65 67 69
- 71

79



Super Premium Fans

HPL Super Premium fans is inspired by the modern, stylish looks and breeze with higher air-delivery. In addition to its aesthetic beauty, fan blades are aerodynamically designed and balanced to give whisper air cutting sound.







HEL



EXTRA COPPER





CYBORG BLDC

WHITE

....








TECHNICAL SPECIFICATIONS

SPEED (RPM): 270AIR DELIVERY (CMM): 225	
SPEED (RPM) : 270	
POWER INPUT (W) : 45	
SWEEP (MM) : 1200	

Product Features

- Sweep 1200 mm
- A Stylish, silent and powerful smart design ٠
- Rust-free aerodynamic ABS blades •
- High Air delivery of 225 m³ /min ٠
- Wider blades with high twist angel leading to higher air delivery •
- Strong 18 pole extra Copper motor ٠
- Modern Minimalist Designs with remote*









CENTAUR BLDC

Product Features

AERODYNAMIC DESIGN

- Sweep 1200 mm
- Aerodynamically designed blades for high air delivery ٠
- Separate chain cords for light & speed controls •
- Low noise 3-Speed pull cord operation for speed regulations

Unique Features






ANTIQUE COPPER **ROSE WOOD**








TECHNICAL SPECIFICATIONS

SWEEP (MM)	: 1200
POWER INPUT (W)	: 40
SPEED (RPM)	: 330
AIR DELIVERY (CMM)	: 210











ANTIQUE BRASS

Colors



Antique Copper

Brushed Nickel

TECHNICAL SPECIFICATIONS

SWEEP (MM)	:	1200
POWER INPUT (W)	:	52
SPEED (RPM)	:	350
AIR DELIVERY (CMM)	:	220

Product Features

- Sweep 1200 mm
- High grade Copper motor ٠
- Electro phoretic lacquered surface for anti rusting ٠
- Aerodynamically balanced wider blades for higher air thrust •
- Silent operations ٠
- Attractive electroplated coating finish ٠
- Electric motor quality hi-grade double ball bearings for frictionless & smooth operations •













C The smooth elegant curves of the bottom and top covers are like inverted saucers and the fan is finished in high grade electroplated shades. A special lacquer is applied to enhance life of the plating and for rust protection.











At HPL, we are inspired by technology and latest innovations across the world. That is why all our fans are synonymous with technological advances in the category.

Our innovative fans offer powerful performance to delight you. In addition, the premium designs add to the beauty that inspires your home. Our new range of energy efficient fans is yet another step towards to energy saving and blissful silence.









ZECN PS ENERGY SAVING FAN

WHITE

Colors







TECHNICAL SPECIFICATIONS

SWEEP (MM)	:	1200
POWER INPUT (W)	:	50
SPEED (RPM)	:	370
AIR DELIVERY (CMM)	:	215
SERVICE VALUE	:	4.3*

Product Features


- Sweep 1200 mm
- 1 Star BEE rated Energy saving fan with low power consumption of 50 Watts
- Saves 40% electricity
- 100% Copper winding ٠
- Aluminum blades & die-casted Aluminum motor covers ٠
- Pre-greased double ball bearings ٠
- Noise less operations ٠
- Power consumption 50W •

Unique Features





Ð









IVORY

ZEON PS-50

Energy Savings	
Parameter	ZEON PS-50
Power consumption (W)	50 W
Hours of usage per day	16
Kwhr Units per day	0.800
Electricity bill per day @ ₹ 6.5/ per unit	₹ 5.2
Electricity bill per annum	₹ 1898/-
Annual savings on (1 Fan)	₹ 949/-
Annual savings on (4 Fan)	₹ 3796/-
*Assuming power tariff is	@ ₹ 6.5 per unit.

Unique Features



Classic design with clean and sleek looks powdered by high electromagnetic torque motor. A fan is truly gives high performance even at low voltage. >>







ZIVO-32 BLDC

BROWN

Colors





TECHNICAL SPECIFICATIONS

SWEEP (MM)	: 1200
POWER INPUT (W)	: 32
SPEED (RPM)	: 375
AIR DELIVERY (CMM)	: 220
SERVICE VALUE	: 6.8*

Product Features

- Sweep 1200 mm
- Powerful BLDC Motor •
- 5 Star BEE rated Energy saving fan with low power consumption of 32 Watts
- Saves 60% electricity •
- 100% Copper winding •
- Noise less operations •
- Super Energy Efficient fan •
- Consumes only 5 Watts at lowest fan speed •
- Power consumption 32W

9

2 YEARS WARRANTY

Unique Features







Energy Savings

Parameter	ZIVO 32 BLDC		
Power consumption (W)	32 W		
Hours of usage per day	16		
Kwhr Units per day	0.512		
Electricity bill per day @ ₹ 6.5/ per unit	₹ 3.3		
Electricity bill per annum	₹ 1215		
Annual savings on (1 Fan) ₹ 1632			
Annual savings on (4 Fan)	₹ 6529		
*Assuming power tariff is @ ₹ 6.5 per unit.			





5 STAR BEE RATED



A unique and attractive design, which complements the décor of your home, paired with the performance of a high-speed, high-air delivery fan.

The luxurious metallic finish really brings out the grain of the wood and the streamlined wider blades with matched trim gives it a modernist look.













DOUBLE BALL BEARING



GUSTO ES

MAT PURPLE

Colors









Pearl White



TECHNICAL SPECIFICATIONS

SWEEP (MM)	:	1200 / 1400
POWER INPUT (W)	:	50 / 55
SPEED (RPM)	:	400 / 300
AIR DELIVERY (CMM)	:	215 / 260

*Note : Rose Gold & Pearl White chrome colors are without dust resistant feature

Product Features

- Sweep 1200 mm
- Superior metallic paint finish
- Premium attractive colours
- Wider Tip aluminium blades for more airflow
- Exotic rich looks with modern styling
- 100% Copper Winding
- High quality pre-greased double ball bearings for frictionless & noiseless working













23



GUSTO ES rose gold



GUSTO ART ES

BEIGE COPPER

Colors



Beige Copper



Roast





TECHNICAL SPECIFICATIONS

:	1200
:	50
:	380
:	215
	:

Product Features

- Sweep 1200 mm
- Dust resistant
- Superior metallic paint finish
- Premium attractive colours
- Wider Tip aluminium blades for more airflow
- Exotic rich looks with modern styling
- 100% Copper Winding
- High quality pre-greased double ball bearings for frictionless & noiseless working

HIGH SPEED



















Contraction of the local distance of the loc

A truly high air performance fan powered by strong 12-pole motor to give high speed and high air delivery.

Available in two tone PU coated colours blade trim. What's makes further to add to the glamour of these fans.















HIGH GRADE COPPER

POWERFUL MOTOR

1 STAR BEE RATED





Product Features

- Sweep 1200 mm
- High-speed fan for greater air thrust •
- 100% Copper Winding
- Aerodynamically balanced blades •
- Powder coated paint finish for rust prevention •
- Die-casted aluminium motor covers & • aluminium blades for longer life
- Pre-greased double ball bearings
- Powerful high electromagnetic torque motor with silent operations •

Unique Features







<u>(</u>2)

RPM - 400

HIGH GRADE COPPER







Colors









TECHNICAL SPECIFICATIONS

SWEEP (MM)	: 1200
POWER INPUT (W)	: 50
SPEED (RPM)	: 400
AIR DELIVERY (CMM)	: 210










WHITE

Colors









TECHNICAL SPECIFICATIONS

SWEEP (MM)	: 1200
POWER INPUT (W)	: 50
SPEED (RPM)	: 400
AIR DELIVERY (CMM)	: 210

Product Features

- Sweep 1200 mm
- High-speed fan for greater air thrust •
- 100% Copper Winding
- Aerodynamically balanced blades •
- Powder coated paint finish for rust prevention ٠
- Pre-greased double ball bearings for • friction & noiseless operations
- Powerful high electromagnetic torque motor











PACIO Deco ES

SMOKE BROWN

Colors




Brown





lvory



IVORY

TECHNICAL SPECIFICATIONS

SWEEP (MM)	:	1200
POWER INPUT (W)	:	50
SPEED (RPM)	:	400
AIR DELIVERY (CMM)	:	210

Product Features

- Sweep 1200 mm
- High-speed fan for greater air thrust •
- 100% Copper Winding
- Aerodynamically balanced blades •
- Powder coated paint finish for rust prevention ٠
- Pre-greased double ball bearings for • friction & noiseless operations
- Powerful high electromagnetic torque motor













Classic design with clean and sleek looks powdered by high electromagnetic torque motor. A fan is truly gives high performance even at low voltage.











 (\cdot)





DOUBLE BALL BEARING


AARON ES


WHITE

Colors









TECHNICAL SPECIFICATIONS

SWEEP (MM)	:	1200 / 1400
POWER INPUT (W)	:	50 / 58
SPEED (RPM)	:	400 / 300
AIR DELIVERY (CMM)	:	210 / 245

Product Features

- Sweep 900 mm, 1200 mm & 1400 mm
- High-speed fan for greater air thrust •
- 100% Copper Winding
- Aerodynamically balanced blades •
- Powder coated paint finish for rust prevention •
- Die-casted aluminium motor covers & • aluminium blades for longer life
- Pre-greased double ball bearings
- Powerful high electromagnetic torque motor with silent operations

Unique Features















1 STAR BEE RATED

VIKTOR ES


WHITE

Colors









TECHNICAL SPECIFICATIONS

SWEEP (MM)	:	1200
POWER INPUT (W)	:	50
SPEED (RPM)	:	400
AIR DELIVERY (CMM)	:	210
-		

Product Features

- Sweep 900 mm & 1200 mm
- High-speed fan for greater air thrust •
- 100% Copper Winding
- Aerodynamically balanced blades •
- Powder coated paint finish for rust prevention •
- Pre-greased double ball bearings for friction & noiseless operations •
- Powerful high electromagnetic torque motor











PACIO ES

WHITE

Colors









IVORY


TECHNICAL SPECIFICATIONS

SWEEP (MM)	:	1200 / 1400
POWER INPUT (W)	:	50 / 58
SPEED (RPM)	:	400 / 310
AIR DELIVERY (CMM)	:	210 / 245

Product Features

- Sweep 900 mm, 1200 mm & 1400 mm
- High-speed fan for greater air thrust •
- 100% Copper Winding
- Aerodynamically balanced blades ٠
- Powder coated paint finish for rust prevention •
- Pre-greased double ball bearings for friction & noiseless operations •
- Powerful high electromagnetic torque motor











PACIO ES mini HS


HPL

Product Features

- Sweep 600 mm
- High-speed fan for greater air thrust •
- 100% Copper Winding
- Aerodynamically balanced blades •
- Powder coated paint finish for rust prevention ٠
- Pre-greased double ball bearings for friction & noiseless operations •
- Powerful high electromagnetic torque motor


Unique Features





WHITE

Colors



TECHNICAL SPECIFICATIONS

SWEEP (MM)	:	600
POWER INPUT (W)	:	65
SPEED (RPM)	:	850
AIR DELIVERY (CMM)	:	110







IVORY









***** SPEED CONTROL

R

SMOOTH OSCILLATION






HPL

Product Features

- Sweep 400 mm
- Aerodynamically designed & balanced PP Blades ٠
- Unique contoured design for modern looks •
- Wide speed control panel •
- Corrosion resistant powder coated guard •
- Smooth and jerk free oscillation •
- A highly electromagnetic torque motor for greater air throw

Unique Features




WHITE SEA BLUE

TECHNICAL SPECIFICATIONS

SWEEP (MM)	: 400
POWER INPUT (W)	: 55
SPEED (RPM)	: 1350
AIR DELIVERY (CMM)	: 72







HPL

HPL

TECHNICAL SPECIFICATIONS

SWEEP (MM)	: 400
POWER INPUT (W)	: 110
SPEED (RPM)	: 2200
AIR DELIVERY (CMM)	: 96



WHITE SEA BLUE

Unique Features









52



WHITE

SEA BLUE

HPL

TECHNICAL SPECIFICATIONS


SWEEP (MM)	:	400
POWER INPUT (W)	:	55
SPEED (RPM)	:	1350
AIR DELIVERY (CMM)	:	72

Product Features

- Sweep 400mm
- Plastic Body and aerodynamic PP Blades ٠
- Unique contoured design for modern looks
- 3 Speed control •
- Corrosion resistant powder coated guard •
- 100% Copper Winding •
- Telescopic height adjustment
- A highly electromagnetic torque motor for greater air throw
- Stable base













WHITE SEA BLUE

Unique Features









56



HPL

Product Features

- Sweep 400 mm
- A highly electromagnetic torque motor for greater air throw
- ABS Plastic Body and PP Blades
- Unique contoured design for modern looks •
- Push pull switch for oscillation and speed control
- Synchronous motor for smooth oscillation •
- Easy tilting mechanism •
- Corrosion resistant powder coated guard
- 100% Copper Winding

Unique Features







13

WHITE **SEA BLUE**

TECHNICAL SPECIFICATIONS

SWEEP (MM)	: 400
POWER INPUT (W)	: 55
SPEED (RPM)	: 1350
AIR DELIVERY (CMM)	: 72









HPL



WHITE SEA BLUE

Unique Features







OSCILLATION THROUGH SYNCHRONOUS MOTOR



Ventilation Fans

Happiness is also about keeping unwanted moment away. HPL range of exhaust fan don't just control the quality of air in an enclosed space by getting rid of smoke, moisture, fumes and odour, the automatic front/ back shutter and rust-proof body also ensure that you won't have to worry about changing these for a long time.

When you need a stylish exhaust fan, which not only adds to your décor but also keep you spaces like kitchen and bathroom cool and odur free.

Vito and Kamet Prime is your premium choice. These are silent operation fan.







METAL BLADES



HPL

0 100% COPPER MOTOR



(≣) ROBUST



VITO



TECHNICAL SPECIFICATIONS

AIR DELIVERY (CMH) : 275 / 450 / 720

: 150 / 200 / 250

: 1350 / 1300 / 1250

: 25 / 30 / 40

SWEEP (MM)

SPEED (RPM)

POWER INPUT (W)

Color



Product Features

- Sweep 150 mm, 200 mm & 250 mm
- Silent operations •
- 100% Copper Winding
- 100% Rust proof ABS body & blades •
- Self opening louvers for dust protection











VITO CM

Product Features

- Sweep 200 mm & 250 mm
- Silent operations
- 100% Copper Winding
- 100% Rust proof ABS body & blades
- For Roof Mounting

Unique Features



Color



TECHNICAL SPECIFICATIONS

SWEEP (MM)	: 200 / 250	
POWER INPUT (W)	: 30 / 40	
SPEED (RPM)	: 1300 / 1300	
AIR DELIVERY (CMH)	: 450 / 720	









KAMET PRIME

Product Features

- Sweep 100 mm & 150 mm
- Low noise and weight •
- Axial throw fan with hidden blades and streamlined design
- Easy screwless installation system ٠
- Suitable for wall and glass mounting •
- Thermal overload protection ensure durability •
- Removable screwless front for easy cleaning •
- Available in two attractive finish-Ivory and Stainless steel finish

Unique Features



Colors



TECHNICAL SPECIFICATIONS

SWEEP (MM)	:	100 / 150
POWER INPUT (W)	:	18 / 22
SPEED (RPM)	:	2500 / 1800
AIR DELIVERY (CMH)	:	100 / 250







KAMET



TECHNICAL SPECIFICATIONS

AIR DELIVERY (CMH) : 105 / 250

: 100 / 150

: 2500 / 1800

: 18/22

SWEEP (MM)

SPEED (RPM)

POWER INPUT (W)

Color



Product Features

- Sweep 100 mm & 150 mm
- Compact design •
- Classic looks, Silent exhaust fan with high speed motor •
- 100% Copper Winding •
- 100% Rust proof ABS body & blades •
 - Best use in AC cabins and conferencerooms •
 - Suitable for wall and glass mounting









SINAI



Color



TECHNICAL SPECIFICATIONS

SWEEP (MM)	: 150 / 225 / 225 HS / 300
POWER INPUT (W)	: 45 / 42 / 55 / 50
SPEED (RPM)	: 2400 / 1370 / 2400 / 1360
AIR DELIVERY (CMH	I) : 600 / 550 / 1150 / 1290

Product Features

- Sweep 150 mm, 225 mm & 300 mm
- 100% Copper Winding
- Metallic finish •
- Powerful motor with high-grade copper •
- Gurad for protection from birds and foreign objects
- High air trust
- Capacitor type motor















When you need a classic exhaust fan with heavy-duty powerful motor and super air thrust, Sinai is an obvious choice. With specially designed metallic aerodynamic blades, sturdy bird guard and premium finish, it is ideal for spaces like bathrooms, kitchens, restaurants, retail malls, canteens etc. To provide comfortable environment in the kitchen and maintain the oxygen content in the area.









When you need a classic exhaust fan with heavy-duty powerful motor and super air thrust, Sinai HD is an obvious choice. With IP 55 specifications, specially designed metallic aerodynamic blades, sturdy bird guard, Rigid frame with rubber mounting for silent operation and premium finish, it is ideal for Industrial uses & spaces like restaurants, retail malls, canteens etc. To provide comfortable environment and maintain the oxygen content in the area.))













4



Farrata Fans

High Air delivery with blushful silence is our prime concern. Super aerodynamics and classic looks with elegant black and silver colour, which suits any décor. Dorado is the prime choice of your shines. Best suitable for Lawns, conference halls and outdoor parties.

DORADDO

...

TECHNICAL SPECIFICATIONS

SWEEP (MM)	: 400 / 450 / 500
POWER INPUT (W)	: 95 / 110 / 145
SPEED (RPM)	: 2100 / 1400 / 1400
AIR DELIVERY (CMM)	: 95 / 100 / 130

Color



Grey & Black


Product Features

- Sweep 400 mm, 450 mm & 500 mm
- 100% Copper Winding •
- Heavy Duty Motor
- Child Safety Guard ٠
- Aerodynamic Balanced aluminium Blades •
- Heavy duty base •
- Full height adjustment
- Elegant looks •
- Easy to assembled











DORADDO OSCILLATING 450 MM

& BLACK

GREY

* Sutable for household, offices, hotels, shopping mall etc.

* Heavy base for extra strength



JU

HIGH AIR DELIVERY

Unique Features





POWERFUL



DORADDO HI - SPEED 400 MM







* 5

Technical Specification

Performance Details on 220 V - 240 V, 50 Hz AC, 1 Phase

SI No.	Model	Sweep (mm)	Watt (W)	Speed r/min (rev/min)	Air Delivery (m3/min)
Α	Ceiling Fans				
1	Cyborg	1200	45	270	225
2	Centaur (under light) ES	1200	40	340	210
3	Tronic ES	1200	52	350	220
4	Zeon Ps-50	1200	50	400	215
5	Zivo 32-BLDC	1200	32	400	220
6	Gusto ES	1200	50	380	215
7	Gusto Art ES	1200	50	380	215
8	Aaron Deco ES	1200	50	400	210
9	Viktor - 400 Deco	1200	50	400	210
10	Pacio Deco ES	1200	50	400	210
11	Aaron ES	900	42	450	130
12	Aaron ES	1200	50	400	210
13	Aaron 56 ES	1400	58	330	245
14	Viktor - 400 ES	900	42	450	130
15	Viktor - 400 ES	1200	50	400	210
16	Pacio ES	900	42	425	130
17	Pacio mini HS ES	600	63	850	105
18	Pacio ES	1200	50	400	210
19	Pacio 56 ES	1400	58	310	245
В	TPW Fans				
20	Windrush NS (Table Fans)	400	55	1350	72
21	Windrome HS (Table Fans)	400	95	2200	96
22	Windrush NS (Wall Fans)	400	55	1350	72
23	Windrome HS (Wall Fans)	300	65	2300	70
24	Windrome HS (Wall Fans)	400	95	2200	96
25	Windrush NS (Pedestal Fans)	400	55	1350	72
26	Windrome HS (Pedestal Fans)	400	95	2200	96

SI No.	Model	Sweep (mm)	Watt (W)	Speed r/min (rev/min)	Air Delivery (m3/hr)			
С	Ventilair Fans (Plastic)							
27	Vito	150	25	1350	275			
28	Vito	200	30	1300	450			
29	Vito	250	40	1250	720			
30	Kamet Prime	100	18	2500	100			
31	Kamet Prime	150	22	1800	250			
32	Kamet	100	18	2500	105			
33	Kamet	150	22	1800	250			
D	Ventilair Fans (Metal)							
34	Sinai HS	150	45	2400	600			
35	Sinai	225	42	1370	550			
36	Sinai	300	50	1360	1290			
37	Sinai HS	225	55	2400	1150			

Pictures and details of the products in this catalogue are merely illustrative.

Actual products may in colour, design, description and color combination etc.

Due care has been taken that the information provided here in is accaurate but is subjected to human error.

The information is updated from time to time. HPL Electric & Power Ltd reserves its rights to amend data/details with out prior notice.

Branch Offices:

AHMEDABAD

B-802, Iscon Elegance, Nr. Prahlad Nagar Corner, Opp. Karnavati Club, S.G. Highway, Ahmedabad-380051 Ph.: 079 - 66168835/36 E-mail: ahmedabad@hplindia.com

BANGALORE

No.2D, IInd Floor, Farah Winsford, 133, Infantry Road, Bangalore - 560001 Ph.: 080-22863068/69 E-mail: bangalore@hplindia.com

BHUBANESWAR

The Metropolis, Plot No. A- 167, Saheed Nagar, Bhubaneswar - 751007 (Orissa). Ph.: 91+ 9861374379, 8018027834 E-mail: orissa@hplindia.com

CHANDIGARH

SCO-18, Second Floor, Industrial Area, Phase-II, Chandigarh-160002 Ph.: 0172-2639157/ 8146404442 E-mail: chandigarh@hplindia.com

CHENNAL

"Amar Sindur" S-4, 2nd Floor, No.-43, Pantheon Road, Egmore, Chennai-600 008 Ph.: 044-28551530, 28551537 Fax: 044-42638243 E-mail: chennai@hplindia.com

COCHIN

1st Floor, A.K.S. Mahal Building, XL/7813J, Achutha Warrier Lane, M.G.Road, Ernakulam, Cochin-682035 Telefax: 0484-2354595 E-mail: cochin@hplindia.com

DEHRADUN

09/4/6, Ist Floor, East Canal Road, (Near Doon Defence Academy) Dehradun-248001 Ph.: 0135-2664387, 2664367 E-mail: uttranchal@hplindia.com

HYDERABAD

No. 7-1-58, Flat No.403, 4th Floor, Concourse Building, Green Lands Road, Hyderabad-500016, Ph.: 040-66687878 E-mail: hyderabad@hplindia.com

GUWAHATI

Rajgarh Road,

Ph.: 0361-2450889

INDORE

411 Satguru Parinay Opp. C21 Mall, Near Pakiza Showroom Indore-452010 Ph.: 0731-4280525, 4225540 E-mail: Indore@hplindia.com

JAIPUR

512, 5th Floor, Plot No. 8-9, Corporate Park, Gopal Bari, Ajmer Road, Jaipur-302001 Ph.: 0141-4021035 E-Mail: jaipur@hplindia.com

KOLKATA

69, Ganesh Chandra Avenue, India House, 7th Floor, Block-C, Kolkata-700013 Ph.: +91 9038094379 E-Mail: calcutta@hplindia.com

LUCKNOW

1st Floor, Jain Building, 14/A5, Park Road Hazratganj, Lucknow-226001 Ph.: 0522-4021687 E-Mail: lucknow@hplindia.com

Works:

• Gurgaon - Haryana

• Sonepat - Haryana

Kundli - Haryana

Opposite China Town Restaurant, Guwahati-781003

E-mail: guwahati@hplindia.com

MUMBA

2C/H, Rushabh Chambers, 2nd Floor, Off-Makwana Road, Near Rubi Hotel, Marol. Andheri East, Mumbai-400059 E-mail: mumbai@hplindia.com

NAGPUR

Jagtap House, Plot No. 07, Ist Floor, Ganesh Gruh Nirman Society, Near Ganesh Mandir, Ring Road, Pratap Nagar, Nagpur-440022, Ph.: 0712-2222988 E-mail: nagpur@hplindia.com

PATNA

Hem Plaza, 5th Floor - 510, Frazer Road, Patna-800001(Bihar), Ph : +91 9334697299 E-mail: patna@hplindia.com

PUNE

Sunrise Skyline 3rd Floor, Plot No. 28/2 Scheme No. 11 B Opp. MSEB Office Somwar Peth Pune-411001 Ph : +91 9028032724 E-mail: pune@hplindia.com

RAIPUR

1st Floor, Near Holy Heart School Chattisgarh College Road, Civil Line, Raipur (C.G.)-492006, Ph:0771-4218002/04 E-mail: raipur@hplindia.com

VADODARA

409/410, Silver Oak Complex, Near Shrenik Park, Char Rasta, Productivity Road, Akota, Vadodara - 390020 Gujarat Ph.: 0265-4000583, Fax:0265-2352107 E-mail: baroda@hplindia.com

VIJAYAWADA

D.No.-29-37-135, 2nd Floor, G. R. Plaza, Eluru Road, Beside Canara Bank, Vijayawada-520002 Ph.: 0866-6622291 E-mail: vijayawada@hplindia.com

• Karnal - Haryana

• Jabli - Himachal Pradesh